# **Product datasheet**

Specifications



## APC Service Bypass Panel- 230V; 100A; MBB; Hardwire input; IEC-320 output- (8) C13 (2) C19

SBP10KRMI4U

### **Overview**

Lead Time

Usually in Stock

### Main

Main Input Voltage	230 V	
Main Output Voltage	230 V	
Number Of Rack Unit	4U	
Number Of Cables	1	
Provided Equipment	Installation guide Rack mounting brackets User manual	

#### **Physical**

Colour	Black
Height	17.8 cm
Width	43.2 cm
Depth	67.3 cm
Net Weight	20.91 kg
Mounting Location	Front
Mounting Preference	Lower
Mounting Mode	Rack-mounted

### Input

Network Frequency	50/60 Hz
Number Of Input Connectors	1 hard wire 3-wire (1P + N + E) 1 hard wire 4-wire (3P + N)
Max Line Current	100 A
Input Current Limits	100 A
Load Capacity	20000 VA
Power Factor	01

## Output

Max Current Draw

100 A

Number Of Power Socket Outlets

8 IEC 60320 C13 2 IEC 60320 C19



Protection Type	Circuit breaker
Efficiency	99 %
Conformance	

Product Certifications	CSA GOST
Standards	EN/IEC 62040-1:2019/A11:2021
	EN/IEC 62040-2:2006/AC:2006
	EN/IEC 62040-2:2018

#### Environmental

Ambient Air Temperature For Operation	-2050 °C
Relative Humidity	095 %
Operating Altitude	015000 ft
Ambient Air Temperature For Storage	-4065 °C
Storage Relative Humidity	095 %
Storage Altitude	0.0015240.00 m

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	30.5 cm
Package 1 Width	61 cm
Package 1 Length	99.1 cm
Package 1 Weight	31.36 kg
Unit Type Of Package 2	PAL
Number Of Units In Package 2	10
Package 2 Height	157.5 cm
Package 2 Width	100 cm
Package 2 Length	120 cm
Package 2 Weight	322.5 kg

## **Contractual warranty**

Warranty

2 years (parts only)



## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

Learn more about Green Premium >

## Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
	Product out of China RoHS scope. Substance declaration for your information
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

